

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	10/685177	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L2	107	(andrew near harvey near barr).in. (ken near gary near pomaranski).in. (dale near john near shidla).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L3	2	L2 and ((schedul\$3 with cpu) and (level with aggressive\$4) and (diagno\$5 test\$3)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L4	8	L2 and (compil\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L5	1	("6,640313").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:50
L6	1	10/069727	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L7	0	10/0690727	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L8	2	11/069727	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L9	1586	(determin\$4 verif\$7) with time with (diagno\$7 test\$3) with user	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L10	3	L9 and (schedul\$3 with (test \$3 diagno\$6) with register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L11	1075	L9 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L12	3	L10 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L13	89415	schedul\$3 with time	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L14	132269	time with (suffucient enough adequat)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50

L15	8096	L13 and L14	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L16	706	L15 and (schedul\$3 with (test \$3 diagno\$7))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L17	543	L16 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L18	246	L17 and (compar\$3 with tim \$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L19	209	L18 and (user)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L20	86390	if with tim\$3 with schedul\$3 (diagnos test\$3) with (memory register cpu)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L21	960	L20 and L15	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L22	179	L20 and L16	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L23	154	L22 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L24	38	L23 and (schedul\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L25	1910	(determin\$4 verif\$7 check\$3) with time with (diagno\$7 test \$3) with user	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L26	86390	"if" with tim\$3 with schedul\$3 (diagnos test\$3) with (memory register cpu)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L27	550	L25 and L20	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L28	7311	((determin\$4 verif\$7 check\$3 confirm\$4 affirm\$3 inspect\$3 examin\$4 investigat\$3) with (time, cycle) with (diagno\$7 test\$3)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L29	27	L28 and L16	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50

L30	18	L29 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L31	241	L28 and (schedul\$3 time near shar\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L32	145	L28 and ((schedul\$3 time near shar\$3) with (test\$3 diagno\$5)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L33	101	L32 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L34	1	("6,134,675").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:50
L35	1	("7,127,310").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:50
L36	1	("6,460,173").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:50
L37	1	("7,127,310").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:50
L38	41389	schedul\$3 with (user designer)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L39	94	L38 and (schedul\$3 with (next succeed\$3 follow\$3) near10 register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L40	18	L39 and "714"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L41	13	L40 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L42	3	L41 and (compil\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L43	4	L41 and (compil\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L44	4786	schedul\$3 with (user designer) with (instruction operation commad)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50

L45	20	L44 and ((diagnost\$3 test\$3) with (background foreground))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L46	10	L45 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L47	19511	(diagnost\$3 test\$3) with (background foreground)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L48	89	L47 and (schedul\$3 with (user designer) with (test\$3 diagnos\$7))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L49	57	L48 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L50	32	L49 and (compil\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L51	1	L50 and "714"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L52	4296	schedul\$3 near7 (user designer) near10 (test\$3 diagnos\$6 evaluat\$3 determin \$5 verif\$7 examin\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L53	245	L52 and "714"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L54	3	L52 and "714"/718.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L55	79	L53 and (compil\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L56	1	L55 and (schedul\$3 with "next" with register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L57	1	L55 and (schedul\$3 with next with register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L58	5	L55 and (schedul\$3 with follow\$3 with register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L59	1	("4,833599").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:50
L60	0	L55 and (schedul\$3 with succeed\$3 with register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50

L61	10	L55 and (schedul\$3 with register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L62	19	L52 and (schedul\$3 with next with register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L63	750	L52 and (compil\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L64	83	L52 and (compil\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L65	56	L64 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L66	7	L65 and "714"/\$.cls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L67	2	10/659,079	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L68	1	10/685177	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L69	1	("6,640,313").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:50
L70	29	L52 and ((test\$3 diagos\$7 evaluat\$3 verif\$7 analyz\$7 examin\$5 check\$3 determin \$4) with (next follow\$3 succee \$7 subsequent\$3) near7 register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L71	25	L70 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L72	3	L71 and "714"/\$.cls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L73	5	L52 and (schedul\$3 near7 register near7 (test\$3 diagno \$7))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:50
L74	3	L73 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:51
L75	52	(schedul\$3 near7 register near7 (test\$3 diagno\$7))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:51

L76	12	L75 and compil\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:51
L77	10	L76 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:51
L78	1	("5,202,975").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:51
L79	1	("5,412,671").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:51
L80	1	("5,819,088").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:51
L81	1	("5,835,776").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:51
L82	1	("6,408,377").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:51
L83	1	("6,434,712").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:51
L84	1	("6,553,530").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:51
L85	16227	compil\$3.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:51
L86	14	L85 and (schedul\$3 with (test \$3 debug\$4 diagno\$4) with (cpu process\$3 controller) with compil\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:51
L87	10	L86 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:51
L88	1	("6625688").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:51

L89	7	L85 and (schedul\$3 with (test\$3 debug\$4 diagno\$4) with (cpu process\$3 controller) with (during when whileover through throughout) near12 compil\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:51
L90	7	L89 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:51
L91	128	L85 and ((test\$3 debug\$4 diagno\$4) with (cpu process\$3 controller) with (during when whileover through throughout) near12 compil\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:51
L92	128	L91 and compil\$5.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:51
L93	99	L92 and (test\$3 diagno\$5 debug\$4).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:51
L94	8	L93 and (schedul\$4).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:51
L95	10	L93 and (schedul\$4 with (test\$3 debug\$4 diagnos\$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/06/10 16:51
L96	1	("5,903475").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/06/10 16:51
S1	1	10/685177	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 16:50
S2	91	(andrew near harvey near barr).in. (ken near gary near pomaranski).in. (dale near john near shidla).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 11:42
S3	2	S2 and ((schedul\$3 with cpu) and (level with aggressive\$4) and (diagno\$5 test\$3)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 11:55
S4	7	S2 and (compil\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 12:38
S5	1	("6,640313").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/05/24 15:09
S6	1	10/069727	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 12:51

S7	0	10/0690727	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 12:52
S8	1	11/069727	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 12:52
S9	1159	(determin\$4 verif\$7) with time with (diagno\$7 test\$3) with user	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 17:20
S10	3	S9 and (schedul\$3 with (test \$3 diagno\$6) with register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 15:28
S11	948	S9 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 17:30
S12	3	S10 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 15:33
S13	63860	schedul\$3 with time	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 15:55
S14	108357	time with (suffucient enough adequat)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 16:49
S15	5791	S13 and S14	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 16:49
S16	545	S15 and (schedul\$3 with (test \$3 diagno\$7))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 16:50
S17	483	S16 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 17:01
S18	222	S17 and (compar\$3 with tim \$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 16:57
S19	185	S18 and (user)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 14:18
S20	69452	if with tim\$3 with schedul\$3 (diagnos test\$3) with (memory register cpu)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 17:21
S21	730	S20 and S15	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 17:01
S22	149	S20 and S16	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 17:01

S23	142	S22 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 14:33
S24	35	S23 and (schedul\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 17:07
S25	1386	(determin\$4 verif\$7 check\$3) with time with (diagno\$7 test\$3) with user	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 17:29
S26	69452	"if" with tim\$3 with schedul\$3 (diagnos test\$3) with (memory register cpu)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 17:21
S27	387	S25 and S20	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 17:23
S30	5608	((determin\$4 verif\$7 check\$3 confirm\$4 affirm\$3 inspect\$3 examin\$4 investigat\$3) with (time, cycle) with (diagno\$7 test\$3)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 14:23
S31	20	S30 and S16	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 17:44
S32	18	S31 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 17:30
S33	175	S30 and (schedul\$3 time near shar\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 17:45
S34	105	S30 and ((schedul\$3 time near shar\$3) with (test\$3 diagno\$5)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 17:45
S35	93	S34 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/24 17:46
S36	1	("6,134,675").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/05/25 09:01
S37	1	("7,127,310").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/05/25 17:01
S38	1	("6,460,173").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/11/21 14:18

S39	1	("7,127,310").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/11/21 14:24
S40	30428	schedul\$3 with (user designer)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:14
S41	79	S40 and (schedul\$3 with (next succeed\$3 follow\$3) near10 register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 14:32
S42	14	S41 and "714"/\$.cls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:18
S43	11	S42 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 14:51
S44	1	S43 and (compil\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 14:38
S45	2	S43 and (compil\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:26
S46	3515	schedul\$3 with (user designer) with (instruction operation commad)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 14:50
S48	13	S46 and ((diagnost\$3 test\$3) with (background foreground))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 14:59
S49	8	S48 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:03
S50	16606	(diagnost\$3 test\$3) with (background foreground)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 14:59
S51	66	S50 and (schedul\$3 with (user designer) with (test\$3 diagnos\$7))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:02
S52	52	S51 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:55
S53	30	S52 and (compil\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:06
S54	0	S53 and "714"/\$.cls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:06

S58	3068	schedul\$3 near7 (user designer) near10 (test\$3 diagnos\$6 evaluat\$3 determin\$5 verif\$7 examin\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:55
S59	144	S58 and "714"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:55
S60	3	S58 and "714"/718.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:18
S61	57	S59 and (compil\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:27
S62	0	S61 and (schedul\$3 with "next" with register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:27
S63	0	S61 and (schedul\$3 with next with register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:49
S64	3	S61 and (schedul\$3 with follow\$3 with register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:35
S65	1	("4,833599").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/11/21 15:33
S66	0	S61 and (schedul\$3 with succeed\$3 with register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:37
S67	8	S61 and (schedul\$3 with register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:37
S68	18	S58 and (schedul\$3 with next with register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:49
S69	540	S58 and (compil\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 15:55
S70	69	S58 and (compil\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 18:23
S71	53	S70 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 18:27
S72	5	S71 and "714"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 18:27
S73	2	10/659,079	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 16:37

S74	1	10/685177	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 16:37
S75	1	("6,640,313").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/11/21 17:44
S76	26	S58 and ((test\$3 diagos\$7 evaluat\$3 verif\$7 analyz\$7 examin\$5 check\$3 determin \$4) with (next follow\$3 succee \$7 subsequent\$3) near7 register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 18:33
S77	23	S76 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 18:42
S78	3	S77 and "714"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 18:27
S79	5	S58 and (schedul\$3 near7 register near7 (test\$3 diagno \$7))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 18:41
S80	3	S79 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 18:34
S81	48	(schedul\$3 near7 register near7 (test\$3 diagno\$7))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 18:42
S82	11	S81 and compil\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/21 18:42
S83	9	S82 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 09:53
S84	1	("5,202,975").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/11/24 10:02
S85	1	("5,412,671").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/11/24 10:04
S86	1	("5,819,088").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/11/24 10:36
S87	1	("5,835,776").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/11/24 10:25

S88	1	("6,408,377").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/11/24 10:28
S89	1	("6,434,712").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/11/24 10:29
S90	1	("6,553,530").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/11/24 10:29
S91	15070	compil\$3.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/22 17:37
S92	12	S91 and (schedul\$3 with (test \$3 debug\$4 diagno\$4) with (cpu process\$3 controller) with compil\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/22 17:43
S93	10	S92 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/22 17:44
S94	1	("6625688").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/11/22 18:41
S95	7	S91 and (schedul\$3 with (test \$3 debug\$4 diagno\$4) with (cpu process\$3 controller) with (during when whileover through throughout) near12 compil\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/22 19:01
S96	7	S95 and (@pd<"20031014" or @ad<"20031014" or @prad<"20031014" or @rlad<"20031014")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/22 19:07
S97	119	S91 and ((test\$3 debug\$4 diagno\$4) with (cpu process \$3 controller) with (during when whileover through throughout) near12 compil\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/22 19:11
S98	119	S97 and compil\$5.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/22 19:12
S99	91	S98 and (test\$3 diagno\$5 debug\$4).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/22 19:12
S100	8	S99 and (schedul\$4).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/22 19:12

S101	10	S99 and (schedul\$4 with (test \$3 debug\$4 diagnos\$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/22 19:15
S102	1	("5,903475").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/11/24 09:27

6/ 10/ 2009 5:03:02 PM

C:\ Documents and Settings\ gmerant\ My Documents\ EAST\ Workspaces\ 10_685_177.wsp